



RESIN PARTS
FOR SCALE PLASTIC KITS


YOU CAN FIND INSTRUCTIONS
IN PDF FORMAT ON THE WEBSITE

INSTRUCTION **RSU32-0193**


A-7D CORSAIR II COCKPIT

HYPERDETAILED EDITION

3D PRINTED
PARTS






FOR TRUMPETER KIT



USE A SAW TO REMOVE SUPPORTS FROM 3D PRINTED PARTS

DETAILS AFTER REMOVAL FROM SUPPORTS



general Issues: info@reskit.com.ua / claim resolution: claims@reskit.com.ua

RESKIT-MODELS.COM


fb.com/reskit.official

instagram.com/reskit_official


youtube.com/@reskit-usmd

1 HYPER DETAILED EDITION


ASSEMBLY



REMOVE PART FROM THE PANEL WITH ELEMENTS




INSERT PART INTO THE PANEL WITH HOLES



REMOVE THE SUPPORT FROM THE BACK SIDE


2




R14.2

R14.1


3



4




5




6


APPLY TRANSPARENT FILM FOR R16.1 AND R17.1 PARTS ONLY AFTER TRANSFERRING ALL ELEMENTS FROM THE PANEL




7




8





9




10







13




14





15




STEP 15



STEP 14




USE FOR FIX POSITION
D = 0.5 MM WIRE




STEP 11

R12






18 FOR CLOSE CANOPY



STEP 17

19 FOR OPEN CANOPY








STEP 17

- R9**
- R8**
- WIRE**
- R1**

STEP 17

DECAL INSTRUCTION



COLORS	GUNZE / AQUEOUS	GUNZE / MR.COLOR
OLIVE DRAB	H52	C12
YELLOW	H4	C4

COLORS	GUNZE / AQUEOUS	GUNZE / MR.COLOR
GRAY	H308	C308
SEMI GLOSS BLACK		C92

general Issues: info@reskit.com.ua / claim resolution: claims@reskit.com.ua

RESKIT-MODELS.COM

[fb.com/reskit.official](https://www.facebook.com/reskit.official)

[instagram.com/reskit_official](https://www.instagram.com/reskit_official)

[youtube.com/@reskit-usmd](https://www.youtube.com/@reskit-usmd)